



92DSFG

Designer

FIBERGLASS DOOR

**PREMIUM
FIBERGLASS
ENTRY
DOORS**



**Shown as Painted Mahogany Grain Fiberglass*

HIGHLY STYLISH - LOW MAINTENANCE

plyco.com

FULL PERIMETER THERMAL-BREAK DOOR

Door, Frame & Threshold

SERIES 92DSFG

FEATURES

The PLYCO 92DSFG Series stylish, fiberglass door is designed for use in normal daily traffic areas. The door features a fiberglass panel with a high performance thermally-broken, one-piece aluminum frame.

This door features many panel style options in a Smooth Grain or Mahogany Grain texture, perfect for any application.

Full Perimeter,
One-Piece Aluminum
Thermal Break Frame



Door Frame:


- Thermally-broken, one-piece aluminum frame for added structural strength. Stronger & Lighter!
 - Available in 3 common widths 4 1/4", 6 1/4" and 8 5/8"
- 4"x4" Stainless Steel Ball Bearing NRP Hinges
- Steel 10 ga hinge reinforcement.
- Dedicated swing threshold.
- Full perimeter weather stripping.
- Optional polystyrene jamb insulation available.

Door Panel:

- Laminated Veneer Lumber (LVL) panel components with mortise and tenon joints.
- PVC composite rails on all edges.
- Door core made of high-density CFC-free polyurethane foam, six times insulation of traditional wood door.
- Large selection of complimentary locks and hardware available.
- Elegantly designed, embossed, architecture panel designs available in Smooth Grain or Mahogany Grain texture 6-panel, 3-panel and 2-panel styles.
- Flush Glazed lite options or standard Plyco lite kits available.
- Paintable and stainable, mahogany grain texture option.



Frame Color Options



Panel Colors:



Polar White

Black

Painted Panels available in a myriad of Color Options Color Examples.

PANEL OPTIONS

PLYCO



**2-Panel
w/4-Lite**
FGMG2P30684LT



**2-Panel
Flush**
FGMG2P3068



**3-Panel
Flush**
FGMG3P3068



**3-Panel
w/22x15 Lite**
FGMG3P30681LT

**Mahogany
Grain**



92FG doors are available in a Mahogany Grain texture and paintable to match any color.

The doors are also stainable and can be ordered in a primer and stained after delivery to your location.



6-Panel
FGSM6P3068PW



6-Panel Black
FGSM6P3068BK



**3-Panel
Flush**
FGSM3P3068PW



**3-Panel
w/22x15 Lite**
FGSM3P30683PW1LT



**2-Panel
Flush**
FGSM2P3068PW







**2-Panel
w/4-Lite**
FGSM2P3068PW4LT




**2-Panel Flush
Black**
FGSM2P3068BK



**2-Panel w/4-Lite
Black**
FGSM2P3068BK4LT



///
*Denotes
area of LVL



Mortise & Tenon



Smooth Grain

BUILDING A WORLD OF DIFFERENCE

SERIES 92DSFG

TECHNICAL INFORMATION

Designer FIBERGLASS DOOR



Sizes	Width: 3'0" (30)	Height: 6'8" (68)
Overall Dimensions	Out-to-out 3/0 x 6/8 frame size is 40" x 82" with a rough opening of 40 1/2" x 82 3/8".	
Hinges	(3) 4" x 4" Stainless Steel Ball-bearing NRP hinges	
Door Panel		
Thickness	1 3/4"	
Skin	Fiberglass	
Construction	PVC Composite rail surrounding LVL. Added LVL for hardware.	
Door Insulation	High Density CFC-Free Polyurethane Foam	
Embossing	3/0 x 6/8 only - 2 Panel, 3 Panel, 6 Panel options.	
Panel Colors	Smooth Grain- Polar White (PW), Black (BK), Designer Colors Paint Mahogany Grain - Designer Colors Paint, Stainable (by customer)	
Lock Face Prep	Standard: 2 1/8" lockset bore. Door Edge 1" x 2 1/4".	
	Backset: 2 3/4"	
Dead Bolt	Blocking is standard, edge bore is standard, face bore is optional.	
Sweep	Durable, Alcryn bulb and fin sweep	
Lite Kits	Flush Glazed molded in panel. Optional Plyco Aluminum Frame Lite Kits.	
Jamb		
Type	Prehung thermally-broken, one-piece aluminum with Q-Lon kerf weatherseal	
Frame Depths	3 depths: 4 1/4", 6 1/4", 8 5/8". Header and threshold are expandable to full frame depth.	
Frame Colors	Polar White, Black, Hickory Moss, Bronze. Painted also available.	
Hinge Preps	Mortised and reinforced. 10 gauge steel hinge reinforcements	
Threshold	Aluminum, thermally broken Performance Inswing.	
Warranty		

Free of manufacturing defects in fiberglass material and workmanship for the LIFETIME of the panel.

UV protection on Smooth Fiberglass painted doors - 25 Years

PLYCOTM
CORPORATION
ELKHART LAKE, WI • 800.558.5895

Because of its ongoing commitment to product improvement, Plyco Corporation reserves the right to change, without notice, product specifications, availability, prices and conditions of sale.